Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S15 2	5	717/127.ccls. and ((jni or (java adj (native adj interface))) and ((test\$4 or debug\$4 or simulat\$4) same (native or c or dll)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:22
S15 1	11	717/127.ccls. and ((jni or (java adj (native adj interface))) and ((test\$4 or debug\$4 or simulat\$4) and (native or c or dll)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:22
S15 0	. 4	717/124.ccls. and ((jni or (java adj (native adj interface))) and ((test\$4 or debug\$4 or simulat\$4) same (native or c or dll)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:21
S14 9	1	717/124.ccls. and ((jni or (java adj (native adj interface))) same (test\$4 or debug\$4 or simulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:20
S14 8	9	717/124.ccls. and (jni or (java adj (native adj interface))) and (test\$4 or debug\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:18
S14 7	. 10	717/124.ccls. and (jni or (java adj (native adj interface)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:16
S14 6	10	717/124.ccls. and (jni or (java adj native adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:16
S14 5	15	717/124.ccls. and (jni or (native adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:16
S14 4	5	717/124.ccls. and jni	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 09:15
S14 1	9	((debug\$4 or test\$4 or simulat\$4) same (jni or (java adj native))) and @ay<"2005" and simulat\$4 and random\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 16:10
S14 0	0	((debug\$4 or test\$4 or simulat\$4) same (jni or (java adj native))) and @ay<"2005" and simulat\$4 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 16:06

S13 9	26	((debug\$4 or test\$4 or simulat\$4) same (jni or (java adj native))) and @ay<"2005" and simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 16:05
S13 8	78	((debug\$4 or test\$4 or simulat\$4) same (jni or (java adj native))) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 16:05
S13 7	136	((debug\$4 or test\$4 or simulat\$4) same (jni or (java adj2 interface))) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 16:05
S13 5	11	jni and (random\$6 near4 generat\$4) and @ay<"2004" and simulat\$4 and (test\$4 or debug\$4) and ((threshold or predefined or pre-defined) same (simulat\$4 or test\$4 or debug\$4 or emulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 16:01
S13 4	1	jni and (random\$6 near4 generat\$4) and @ay<"2004" and simulat\$4 and (test\$4 or debug\$4) and (threshold or predefined or pre-defined) same simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 15:59
S13 3	23	jni and (random\$6 near4 generat\$4) and @ay<"2004" and simulat\$4 and (test\$4 or debug\$4) and (threshold or predefined or pre-defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 15:58
S13 2	1	jni and (random\$6 near4 generat\$4) and @ay<"2004" and simulat\$4 and ((test\$4 or debug\$4) same jni)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 15:57
S13 1	27	jni and (random\$6 near4 generat\$4) and @ay<"2004" and simulat\$4 and (test\$4 or debug\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 15:56
S13 0	2	jni and (random\$6 near4 generat\$4) and @ay<"2004" and simulat\$4 and (test\$4.clm. or debug\$4.clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 15:56
S12 9	27	jni and (random\$6 near4 generat\$4) and @ay<"2004" and simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 15:55
S12 8	37	jni and (random\$6 near4 generat\$4) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 15:55

S12 7	6	jni and (random\$6 and (frequen\$6 or threshold) and simulat\$4) and @ay<"2004" and (test\$4.clm. or debug\$4.clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 15:54
S10 2	23	((build or run or compil\$6) adj2 mode) and jni and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 14:50
S10 3	2	((build or run or compil\$6) adj2 mode) and (jni with (debug\$4 or test\$4)) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 14:30
S10 1	1	((build or run or compil\$6) adj2 mode) and icat\$1 and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/20 14:30
S10 0	24	((test\$4 or debug\$4) adj2 mode) and @ay<"2005" and jni and (mode with (flag\$4 or register or variable or set\$4 or choos\$4 or activat\$4 or enabl\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 13:46
S99	16	((execut\$4 or normal or regular) adj2 mode) and ((test\$4 or debug\$4) adj2 mode) and @ay<"2005" and jni and (mode with (flag\$4 or register or variable or set\$4 or choos\$4 or activat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 13:46
S98	1	((execut\$4 or normal or regular) adj2 mode) and ((test\$4 or debug\$4) adj2 mode) and @ay<"2005" and jni and (mode with (flag\$4 or register or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 13:44
S97	13	((execut\$4 or normal or regular) adj2 mode) and ((test\$4 or debug\$4) adj2 mode) and @ay<"2005" and jni and (mode same (flag\$4 or register or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 13:43
S96	0	(execut\$4 adj2 mode) and ((test\$4 or debug\$4) adj2 mode) and @ay<"2005" and jni and (mode same (flag\$4 or register or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 13:42
S95	2	(execut\$4 adj2 mode) and ((test\$4 or debug\$4) adj2 mode) and @ay<"2004" and jni	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 13:42
S94	1023	(execut\$4 adj2 mode) and ((test\$4 or debug\$4) adj2 mode) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 13:39

S73	5	((jni) same (test\$4 or debug\$4)) and (ide or debugger) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:56
S72	0	((jni) same (test\$4 or debug\$4)) and (ide same debugger) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:50
S71	2	(icat\$1 with (debug\$4 or test\$4)) and @ay<"2004" and (deactivat\$4 or activat\$4 or enabl\$4 or disabl\$6) and (international adj2 machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:49
S70	60	(icat\$1 with (debug\$4 or test\$4)) and @ay<"2004" and (deactivat\$4 or activat\$4 or enabl\$4 or disabl\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:44
S69	9	(icat\$1 with (debug\$4 or test\$4)) and @ay<"2004" and normal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:44
S68	15	(icat\$1 with (debug\$4 or test\$4)) and @ay<"2004" and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:43
S67	62	(icat\$1 with (debug\$4 or test\$4)) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:39
S66	219	(icat\$1) and ((debug\$4 or test\$4)) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:39
S55	7	(((jni) or (java adj3 interface)) with (debug\$4 or test\$4)) and @ay<"2005" and (native near4 (function or method or call)) and (((debug\$4 or test\$4) near3 (mode or flag)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:31
S54	1	(((ini) or (java adj3 interface)) with (debug\$4 or test\$4)) and @ay<"2005" and (native near4 (function or method or call)) and ((enabl\$6) with ((debug\$4 or test\$4) near4 mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 12:00
S53	1	(((jni) or (java adj3 interface)) with (debug\$4 or test\$4)) and @ay<"2005" and (native near4 (function or method or call)) and ((atviat\$4 or deactivat\$4) with ((debug\$4 or test\$4) near4 mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:59

S51	1	(((ini) or (java adj3 interface)) with (debug\$4 or test\$4)) and @ay<"2005" and (native near4 (function or method or call)) and (flag\$4 with (debug\$4 or test\$4) with mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:58
S50	1	(((jni) or (java adj3 interface)) with (debug\$4 or test\$4)) and @ay<"2004" and (native near4 (function or method or call)) and (flag\$4 with (debug\$4 or test\$4) with mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:57
S49	5	(((ini) or (java adj3 interface)) with (debug\$4 or test\$4 or emulat\$6 or simulat\$4)) and @ay<"2004" and (native near4 (function or method or call)) and random\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:56
S48	0	((icat\$2) near8 (activat\$4 or deactivat\$4 or off or on or enabl\$6)) and @ay<"2004" and (jni)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:08
S47	5	((icat\$2 or debug\$4) near8 (activat\$4 or deactivat\$4 or off or on or enabl\$6)) and @ay<"2004" and (jni)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:08
S46	0	(icat\$2 near6 (activat\$4 or deactivat\$4 or off or on or enabl\$6)) and @ay<"2004" and (jni)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:06
S45	41	(icat\$2 near6 (activat\$4 or deactivat\$4 or off or on or enabl\$6)) and @ay<"2004" and (jni or (java adj4 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:05
S44		(icat\$2 near6 (activat\$4 or deactivat\$4 or off or on)) and @ay<"2004" and (jni or (java adj4 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:05
S43	369	icat\$2 near6 (activat\$4 or deactivat\$4 or off or on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:02
S41	4	(((jni) or (java adj3 interface)) with (debug\$4 or test\$4)) and @ay<"2004" and ((debug\$4 or test\$4) near8 (on or off or set\$4 or disabl\$7 or enabl\$6 or activat\$4 or deactivat\$6) near8 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:02
S39	3	(((jni) or (java adj3 interface)) with (debug\$4 or test\$4)) and @ay<"2004" and ((debug\$4 or test\$4) near8 (on or off or set\$4 or disabl\$7 or enabl\$6) near8 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 11:00

S38	25	(((ini) or (java adj3 interface)) with (debug\$4 or test\$4)) and @ay<"2004" and ((debug\$4 or test\$4) near8 (on or off or set\$4 or disabl\$7 or enabl\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 10:59
S13	7	(((jni) or (java adj3 interface)) with (debug\$4 or test\$4 or emulat\$6 or simulat\$4)) and @ay<"2004" and (native near4 (function or method or call)) and ((on or off or enabl\$6 or set\$4) near8 (mode or status of flag\$4 or debug\$4 or test\$4 or emulat\$6 or simulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 10:57
S12	9	(((ini) or (java adj3 interface)) with (debug\$4 or test\$4 or emulat\$6 or simulat\$4)) and @ay<"2004" and (native near4 (function or method or call)) and ((error or exception or faul\$6 or sufficient or unsufficient) with (memory or allocat\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 09:03
S9	14	(((ini) or (java adj3 interface)) with (debug\$4 or test\$4 or emulat\$6 or simulat\$4)) and @ay<"2004" and (native near4 (function or method or call)) and (wrap\$6 or enabl\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 08:56
S11	3	(((jni) or (java adj3 interface)) with (debug\$4 or test\$4 or emulat\$6 or simulat\$4)) and @ay<"2004" and (native near4 (function or method or call)) and (wrap\$6 or enabl\$6) and wrap\$6 and ((enabl\$6 or set\$4) with (debug\$4 or test\$4 or emulat\$6 or siumlat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 08:20
S10	10	(((ini) or (java adj3 interface)) with (debug\$4 or test\$4 or emulat\$6 or simulat\$4)) and @ay<"2004" and (native near4 (function or method or call)) and (wrap\$6 or enabl\$6) and wrap\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/18 08:19
S5	20	(((jni) or (java adj2 interface)) with (debug\$4 or test\$4 or emulat\$6 or simulat\$4)) and @ay<"2004" and (native near4 (function or method or call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/17 09:40
S4	18	(((jini) or (java adj2 interface)) with (debug\$4 or test\$4 or emulat\$6)) and @ay<"2004" and (native near4 (function or method or call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/17 09:39
S3	. 18	(((jni) or (java adj2 interface)) with (debug\$4 or test\$4 or emulat\$6)) and @ay<"2004" and (native near4 (function or method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON -	2006/10/17 09:38
S2	45	(((jni) or (java adj2 interface)) with (debug\$4 or test\$4 or emulat\$6)) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/17 09:38
S1	67	(((jni) or (java adj2 interface)) with (debug\$4 or test\$4 or emulat\$6)) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/17 09:37